
metabo 10 CYEARS

POWER TOOL OFFERS MAY - SEP 2024



SPEND \$699-\$998 ON METABO CORDLESS TOOLS TO REDEEM

4.0 Ah BATTERY TWIN PACK 4.0 LiHD TP



SPEND \$999-\$1298 ON METABO CORDLESS TOOLS **TO REDEEM**

5.5 Ah BATTERY **TWIN PACK** 5.5 LiHD TP



REDEMPTION 2

SPEND \$1299-\$1598

ON METABO CORDLESS TOOLS **TO REDEEM**

8.0 Ah BATTERY **TWIN PACK** 8.0 LiHD TP



SPEND \$1599-\$1998 ON METABO CORDLESS TOOLS

TO REDEEM

10.0 Ah BATTERY **TWIN PACK** 10.0 LiHD TP



REDEMPTION

SPEND OVER \$1998

ON METABO CORDLESS TOOLS

TO REDEEM 5.5 Ah + 4.0 Ah

BATTERY TWIN PACKS 5.5 LiHD TP + 4.0 LiHD TP









Building & Carpentry

18V Circular Saw

611857850

KS 18 LTX 57 BL

NEW



- BRUSHLESS
- Ø 165 x 20 mm blade
- No load speed 5000 rpm
- Max. cutting depth at 90°: 57 mm (52 mm with rail)
- Max. cutting depth at 45°: 43 mm
- Swivel range from 0° to + 50°
- Fast brake
- Suits Metabo cross cut rails and guide rails from Metabo and many other brands

18V Circular Saw 611866850

KS 18 LTX 66 BL



- Ø 165 x 20 mm blade
- No load speed 4800 rpm
 Max. cutting depth at 90°: 66 mm (61 mm with rail)
- Max. cutting depth at 45°: 43 mm
- Swivel range from 0° to + 46°
 Re-adjustable 0° position
- · Rotatable and lockable dust port
- Fast brake
- Suits Metabo cross cut rails and guide rails from Metabo and other brands
- · Integrated LED work light

18V Plunge Saw

601866840



- Max. cutting depth at 90° / 45°: 66 / 43 mm
 Swivel range from -1° to + 46°
- Re-adjustable 0° and 45° positions
- Double guide for precise setting of the cutting depth
- Variable speed and fast brake
- REDEMPTION 1 · Rotatable and lockable dust port
- Suits guide rails from Metabo and other brands
- metaBOX 340 Case

18V Brushless Sliding Mitre Saw Kit 216mm

AU61421600

KGS 18 LTX BL 216 1 HD 5.5 K HD BRUSHLESS 216 mm Sliding Mitre Saw KGS 18 LTX BL 216 • 305 x 70 mm cutting capacity at 90°

- Saw blade tilt from -2 to 47°
- Turntable setting 50° left/right Max. cutting speed: 57 m/s
- Compact, lightweight & portable
- (12.8 kg without battery pack) Uses the shadow of the blade as a precise cutting guide
- 1 x 5.5 Ah LiHD Battery Pack
- ASC 55 Air-Cooled Charger Skin also available (614216850)

REDEMPTION 1

18V Brushless Sliding Mitre Saw Kit 254mm

AU61425400 KGS 18 LTX BL 254 1 HD 5.5 K

- 254 mm Sliding Mitre Saw KGS 18 LTX BL 254
- 305 x 92 mm cutting
- capacity at 90° Saw blade tilt from -2 to 47°
- Turntable setting 50° left/right
- Max. cutting speed: 53 m/s
- · Compact, lightweight & portable
- (14.8 kg without battery pack) • Uses the shadow of the blade as
- a precise cutting guide • 1 x 5.5 Ah LiHD Battery Pack

• ASC 55 Air-Cooled Charger Skin also available (614254850)

REDEMPTION 2

18V Brushless Sliding Mitre Saw Kit 305mm

AU61430500



• BRUSHLESS

- 305 mm Sliding Mitre Saw KGS 18 LTX BL 305
- 305 x 110 mm cutting capacity at 90°
- Saw blade tilt 47° left/right
- Turntable setting 50° left / 60° right
- Max. cutting speed: 59 m/s
- · Compact, lightweight & portable
- (17.4 kg without battery pack) • Uses the shadow of the blade as
- a precise cutting guide 1 x 5.5 Ah LiHD Battery Pack
- ASC 55 Air-Cooled Charger Skin also available (614305850)

REDEMPTION 3

18V Brushless Compact Reciprocating Saw

602366850

SSE 18 LTX BL COMPACT



BRUSHLESS

- · Light and compact
- 0 3000 rpm, 16 mm stroke
- Tool-free blade change & depth adjustment
- Accepts reciprocating or jigsaw blades
- 180° rotatable blade
- · Variospeed electronics for customised stroke rates for different materials Integrated LED work light

18V Brushless Reciprocating Saw 601617850

SSEP 18 LT BL



- BRUSHLESS
- Selectable pendulum stroke
- 0 3.000 rpm, 32 mm stroke
- Tool-free blade change & depth adjustment • 180° rotatable blade
- Variospeed electronics for customised stroke rates for different materials
- Lock-on function for continuous operation
- Scaffold hookIntegrated LED work light

18V Brushless Reciprocating Saw 602258850

SSEP 18 LTX BL MVT



BRUSHLESS

- Selectable pendulum stroke
- 0 2700 rpm, 32 mm stroke
- Tool-free blade change and depth guide adjustment
- 180° rotatable blade
- Variospeed electronics for customised stroke rates for different materials
- Lock-on function for continuous operation • Scaffold hook • Integrated LED work light

Building & Carpentry

18V Brushless Random Orbital Sander 125mm

600146850 SXA 18 LTX 125 BL



- BRUSHLESS
- Ø 125 mm multi-hole sanding pad
- 2.0 mm orbit diameter
- Low-vibration
- Non-slip soft-grip surface
- Soft start
- Variable speed control
- Dust bag & removable protector included
- Motor & plate brake
- Integrated tethering point

18V Brushless Random Orbital Sander 150mm 600411850

SXA 18 LTX 150 BL



• BRUSHI FSS

- Ø 150 mm multi-hole sanding pad
- 3.0 mm orbit diameter
- Low-vibration
- Non-slip soft-grip surface
- Soft start
- Variable speed control
- Dust bag & removable protector included

18V Brushless Bow Handle

Motor & plate brake

Jigsaw

601503850

NEW

Integrated tethering point

COMING SOON

18V Brushless Compact Multi Sander



1969

- Non-slip soft-grip surface
- Soft start Variable speed control
- Dust bag & removable protector included
 Integrated tethering point

18V Brushless Barrel Grip Jigsaw

601502850

STA 18 LTX 150 BL

NEW



- BRUSHLESS
- Speed selection with automatic start function
- Dust extraction adapter & dust blow function

18V Brushless Framing Nailer

- Cutting depth wood 150 mm
 Swivel range from / to: 45 / + 45 °
- 3 orbital stroke settings
- Strokes in idle 1000 3500 rpm
- Saw blade stroke 26 mm

612090840 NFR 18 LTX 90 BL

 BRUSHI FSS · No gas cartridges to buy Tool-free drive-depth adjustment · Single shot and bump fire modes

Dry-fire lockout

STAB 18 LTX 150 BL



- Speed selection with automatic start function
- · Lockable trigger
- Dust extraction adapter & dust blow function
- Cutting depth wood 150 mm
 Swivel range from / to: 45 / + 45 °
- 3 orbital stroke settings
- Strokes in idle 1000 3500 rpm
 Saw blade stroke 26 mm

\$399

18V Brushless Framing Nailer Kit

AU61209010

NFR 18 LTX 90 BL 1 HD 4.0 MB K



- 50 90 mm Framing Nailer NFR 18 LTX 90 BL
- 4.0 Ah LiHD Battery Pack

18V Brushless Circular Saw Kit

AU61186601

30 years.

KS 18 LTX 66 BL 1 HD 5.5 KFS 30 K



The legendary 4320, Metabo's most

successful orbital sander of all time,

was in the product range for almost

- (66 mm depth of cut)
- Cross Cutting Rail KFS 30
- 5.5 Ah LiHD Battery Pack
- metaBOX 340 case

REDEMPTION 1

• Circular Saw KS 18 LTX 66 BL **REDEMPTION 1**

· ASC 55 Air-cooled Charger

 Ø 2 9 - 3 3 mm 50 - 90 mm nails metaBOX 340 included

(up to 2 nails per second)

47-nail magazine capacity

 ASC 55 Air-Cooled Charger metaBOX 340 case

Impact Drivers & Wrenches

18V 1/4" Brushless Impact **Driver 200Nm**

602397850

SSD 18 LT 200 BL



- BRUSHLESS
- 1/4" hex. recess
- Max. screw size: M16
- Max. fastening torque: 200 Nm
- 3 Speed/Torque Levels
- Max. no-load speed: 0 3050 rpm
- Max. impact rate: 3750 bpm

602396890

• BRUSHLESS

602395890

- 1/4" hex. recess Max. screw size: M16

Driver 200Nm

SSD 18 LTX 200 BL

- Max. fastening torque: 200 Nm
- 12 Speed/Torque Levels (including APS & Power modes)

18V 1/4" Brushless Impact

• Max. no-load speed: 0 - 2900 rpm

Wrench 300Nm

SSW 18 LTX 300 BL

18V 1/2" Brushless Impact

Max. impact rate: 4000 bpm

1999



The southern part of Gerberstraße is officially renamed Metabo Alley in 1999, the year the company celebrates its 75th anniversary.

18V 1/2" Brushless Impact Wrench 300Nm

602398850

SSW 18 LT 300 BL



- BRUSHLESS
- 1/2" square drive w/ friction ring & through hole
- Max. screw size: M16
- Max. fastening torque: 300 Nm
- · Max. loosening torque: 480 Nm
- 3 Speed/Torque Levels
- Max. no-load speed: 0 3050 rpm Max. impact rate: 3900 bpm

• BRUSHLESS

- 1/2" square drive w/ friction ring
- & through hole
 Max. screw size: M18 • Max. fastening torque: 300 Nm
- Max. loosening torque: 480 Nm
 12 Speed/Torque Levels
- (including APS & Power modes)
- Max. no-load speed: 0 2650 rpm
 Max. impact rate: 3750 bpm

18V 1/2" Brushless Impact Wrench 400Nm

602205890

SSW 18 LTX 400 BL



• BRUSHLESS

- 1/2" square drive w/ friction ring & through hole
- Max. screw size: M20
- Max. fastening torque: 400 Nm
- Max. loosening torque: 620 Nm
 12 Speed/Torque Levels
- (including APS & Power modes)
- Max. no-load speed: 0 2150 rpm
 Max. impact rate: 4250 bpm

18V 1/2" Brushless Impact Wrench 800Nm

602403850

SSW 18 LTX 800 BL



- BRUSHI FSS
- 1/2" square drive w/ friction ring
- Max. screw size: M24
- Max. fastening torque: 800 Nm
- · Max. loosening torque: 1200 Nm 12 Speed/Torque Levels
- (including APS & Power modes)
- Max. no-load speed: 0 2575 rpm Max. impact rate: 3300 bpm

18V 1/2" Brushless Impact Wrench 1450Nm

602401850

SSW 18 LTX 1450 BL



- BRUSHLESS
- 1/2" square drive w/ friction ring
- Max. screw size: M30
- Max. fastening torque: 1450 Nm
- Max. loosening torque: 1900 Nm 12 Speed/Torque Levels
- (including APS & Power modes) Max. no-load speed: 0 - 1500 rpm Max. impact rate: 2250 bpm

18V 3/4" Brushless Impact Wrench 1750Nm

602402850

SSW 18 LTX 1750 BL



- BRUSHLESS
- 3/4" square drive w/ friction ring & through hole
- Max. screw size: M33
- Max. fastening torque: 1750 Nm
- · Max. loosening torque: 2100 Nm 12 Speed/Torque Levels
- (including APS & Power modes)
- Max. no-load speed: 0 1650 rpm
 Max. impact rate: 2450 bpm

Engineering & Maintenance

18V Grease Gun 450g 600789190

FP 18 LTX



- BRUSHLESS
- 2 speeds 290 / 100 g/min
- Discharge pressure 690 / 414 bar
- 9 pre-set grease volumes + continuous mode
 3-way filling: cartridges, bulk or pump
- · LED work lights: body and hose
- Hose length: 1200mm
- Suits 450 g cartridge

400 g cartridge model (600789850) also available

18V Brushless Air Compressor 18V Brushless Rivet Nut Gun 601521190

POWER 160-5 18 LTX BL OF



- BRUSHLESS
- Oil-free piston compressorFilling capacity: 70 L/min
- · Effective delivery volume
- (at 80% max. pressure): 60 L/min
- Maximum pressure: 8 bar / 116 psi
- Tank capacity: 5 L
- Weight without battery pack: 8.7 kg

601788840

NMP 18 LTX BL M10



- BRUSHLESS
- Quick-change threaded mandrel
- system
- Auto-reverse function
- For blind rivet nuts up to M10 in aluminium, M8 in steel, M6 in stainless steel
- Easy setting force pre-set up to 15 kN

• LED display with 10 pre-set memory positions

REDEMPTION 5

18V Brushless Rivet Nut Gun Kit 18V Cordless Grease Gun Kit



- 18V Grease Gun 450 g FP 18 LTX
- 5.2 Ah Li-Power Battery Pack
- ASC 55 Air-cooled Charger · Heavy Duty Tool Bag

AU60178800

NMP 18 LTX BL M10 MB 4.0 K





REDEMPTION 5

- Rivet Nut Gun NMP 18 LTX BL M10 • 2 x 4.0 Ah LiHD Battery Packs
- ASC 55 Air-Cooled Charger
 metaBOX 145 M case

18V 1/2" Brushless Impact Wrench Kit AU60240301

SSW 18 LTX 800 BL 1 LP 5.2 K





18V 3-Speed Hammer Drill/Driver + **Rivet Nut Gun Kit**

AU68207400

MET18BL2MB3HD455HW



- 1/2" Impact Wrench 800 Nm SSW 18 LTX 800 BL
- 5.2 Ah Li-Power Battery Pack
- ASC 55 Air-cooled Charger

• 2 x 4.0 Ah LiHD Battery Packs

metaBOX 145 L case

ASC 55 Air-Cooled Charger
 metaBOX 145 M case

melabo

Grinders



The type 6160 angle grinder is one of Metabo's most innovative and successful products. Its built-in safety clutch is a technical revolution.

18V Brushless Paddle Switch

613059850

WPB 18 LT BL 11-125 QUICK

Angle Grinder 125mm



- BRUSHLESS
- Electronic & Mechanical Safety Clutches
- Battery pack lockable in 4 different positions
- Deadman/Paddle Switch
- . M-Quick Nut tool-free disc change
- Tool-free, twist-proof adjustable guard
- 1 second Fast Brake
- · Electronic soft start, overload & restart protection
- 1100 W electric grinder performance

18V Brushless Angle Grinder 125mm

613054850

WB 18 LT BL 11-125 QUICK Detachable dust filter

- BRUSHI FSS
- Electronic & Mechanical Safety Clutches
- · Battery pack lockable in 4 different positions
- . M-Quick Nut tool-free disc change
- Tool-free, twist-proof adjustable guard
- 1 second Fast Brake
- · Flectronic soft start, overload & restart protection
- 1100 W electric grinder performance

10000 rpm

18V Brushless Variable Speed 18V Brushless Angle Grinder **Angle Grinder 125mm** 613091850

WVB 18 LT BL 11-125 QUICK INOX



- BRUSHLESS
- · Designed for working with Stainless Steel
- Electronic & Mechanical Safety Clutches
- Battery pack lockable in 4 different positions . M-Quick Nut - tool-free disc change
- Tool-free, twist-proof adjustable guard
- 1 second Fast Brake
- · Electronic soft start, overload & restart protection
- 1100 W electric grinder performance
 Variable Speed (2000 7600 rpm)

Angle Grinder 125mm 613057850 WVB 18 LT BL 11-125 QUICK

18V Brushless Variable Speed



- BRUSHLESS
- Electronic & Mechanical Safety Clutches
- Battery pack lockable in 4 different positions
- M-Quick Nut tool-free disc change
 Tool-free, twist-proof adjustable guard
- 1 second Fast Brake
- · Flectronic soft start, overload & restart protection
- 1100 W electric grinder performance
- Variable Speed (2800 10000 rpm)

125mm

601730850

WB 18 LTX BL 15-125 QUICK



- BRUSHLESS
- Electronic & Mechanical Safety Clutches
- Battery pack lockable in 4 different positions . M-Quick Nut - tool-free disc change
- Tool-free, twist-proof adjustable guard
- 1.5 second Fast Brake
- · Electronic soft start, overload & restart protection
- 1500 W electric grinder performance

\$419

18V Brushless Variable Speed 18V Brushless Paddle Switch Angle Grinder 125mm

601731850

WVB 18 LTX BL 15-125 QUICK



- BRUSHLESS
- Electronic & Mechanical Safety Clutches Battery pack lockable in 4 different positions
- M-Quick Nut tool-free disc change
- Tool-free, twist-proof adjustable guard 1.5 second Fast Brake
- · Electronic soft start, overload & restart protection
- 1500 W electric grinder performance
 Variable Speed (2500 10000 rpm)

Angle Grinder 125mm 601734840

WPBA 18 LTX BL 15-125 QUICK DS



- BRUSHLESS
- Electronic & Mechanical Safety Clutches
- Battery pack lockable in 4 different positions
- · Deadman/Paddle Switch, Auto-balancer, Safety Bracket M-Quick Nut - tool-free disc change
- Tool-free, twist-proof adjustable guard • 1.5 second Fast Brake
- · Electronic soft start, overload & restart protection
- 1500 W electric grinder performance • 10000 rpm

COMING SOON

240V 2000W BRUSHLESS Paddle Switch Angle Grinder

WEPBA 20-125 QUICK DS BL



More durable.

3× longer service life

More efficient. 20% lower energy costs

Side switch & variable speed models also coming soon. 600642190 WEBA 20-125 QUICK BL \$549 600641000 WEVBA 20-125 QUICK BL \$549

Grinders

18V Brushless Angle Grinder 180mm

601735840

WB 18 LTX BL 15-180 QUICK



- Electronic & Mechanical Safety Clutches
- · Battery pack lockable in 4 different positions
- M-Quick Nut tool-free disc change
- Tool-free, twist-proof adjustable guard
- 1.5 second Fast Brake
- · Electronic soft start, overload
- & restart protection
- 1500 W electric grinder performance
- 7500 rpm

18V Brushless Die Grinder

600826850 **GVB 18 LTX BL 11-28**



- BRUSHLESS
- 6 mm & 1/4" Collets
- Long spindle design with spindle lock Slim body
- Electronic Safety Clutch
- Battery pack lockable in 4 different positions
- 1 second Fast Brake
- · Electronic soft start, overload & restart protection
- 1100 W electric die grinder performance
 Variable speed (8000 28000 rpm)

18V Brushless Paddle Switch 18V Brushless Compact Angle Grinder 180mm 601746840

WPBA 18 LTX BL 15-180 QUICK DS



- BRUSHI FSS
- Electronic & Mechanical Safety Clutches
- · Battery pack lockable in 4 different positions
- Deadman/Paddle Switch Auto-balancer Safety Bracket
- M-Quick Nut tool-free disc change
- Tool-free, twist-proof adjustable guard
- Electronic soft start, overload & restart protection
- 1.5 second Fast Brake
- 1500 W electric grinder performance
- 7500 rpm

18V Brushless Die Grinder 600827850

GVPB 18 LTX BL 11-28



- BRUSHLESS
- 6 mm & 1/4" Collets
- Long spindle design with spindle lock
- Slim body
- Electronic Safety Clutch
- Battery pack lockable in 4 different positions
- Deadman/Paddle Switch
- 1 second Fast Brake
- · Electronic soft start, overload & restart protection
- 1100 W electric die grinder performance

• Variable speed (8000 - 28000 rpm)

Die Grinder

600828850

GVB 18 LTX BL 11-28 COMPACT



- BRUSHLESS
- 6 mm & 1/4" Collets
- Compact spindle design
- · Slim body
- Flectronic Safety Clutch
- Battery pack lockable in 4 different positions
- 1 second Fast Brake
- · Flectronic soft start, overload
- & restart protection
- 1100 W electric die grinder performance

• Variable speed (8000 - 28000 rpm)

18V Brushless High Torque Die Grinder

600829850

GVB 18 LTX BL 11-7 HT



- BRUSHLESS
- 6 mm & 1/4" Collets
- High torque/low speed ideal for flap wheels
- Long spindle design with spindle lock
- Slim body
- Electronic Safety Clutch
- Battery pack lockable in 4 different positions
- 1 second Fast Brake
- · Electronic soft start, overload & restart protection
- 1100 W electric die grinder performance
 Variable speed (1500 7000 rpm)

18V Brushless Variable Speed Angle Grinder Kit

• 125 mm Variable Speed Angle Grinder WVB 18 LT BL 11-125 QUICK

AU61305700

WVB 18 LT BL 11-125 Q MB 5.5 K





18V Brushless Safety Angle Grinder Kit AU60173400

WPBA 18 LTX BL 15-125 QUICK DS MB 5.5 K



- 125 mm Paddle Switch Angle Grinder WPBA 18 LTX BL 15-125 QUICK DS
- 5 kg Quick Connect Safety Lanvard • 2 x 300 mm DS Safety Connections
- 2 x 5.5 Ah LiHD DS Battery Packs ASC 55 Air-Cooled Charger
- metaBOX 165 L case



REDEMPTION

 ASC 55 Air-Cooled Charger metaBOX 165 L case

• 2 x 5.5 Ah LiHD Battery Packs

Drills, Drivers & Hammers

18V Brushless Drill/Driver 2-Speed 75Nm

602325890

BS 18 LT BL



BRUSHLESS

- 75 Nm maximum hard torque
- 34 Nm maximum soft torque
- 0.7 8 Nm adjustable torque
- Chuck capacity 1.5 13 mm
 No-load speeds 0 600 / 0 2100 rpm
- Overload protection
- Integrated work light

603181850

• BRUSHLESS

Handy belt hook and bit holder

3-Speed 130Nm

BS 18 LTX-3 BL I METAL

130 Nm maximum hard torque

Chuck capacity 1.5 - 13 mm
Powerful chuck with re-tensioning function

Anti kick-back function
Selectable "Impuls" mode for removal of

Precision Stop electronic torque control

Integrated LED work lightHandy belt hook and bit holder

stubborn screws & spot-drilling on smooth

No-load speeds 0 - 450 / 0 - 2000 / 0 - 4000 rpm

65 Nm maximum soft torque

• 1 - 18 Nm adjustable torque

18V Brushless Drill/Driver

18V Brushless Drill/Driver 2-Speed 130Nm 602358850

BS 18 LTX BL I



- Anti kick-back function
- Selectable "Impuls" mode for removal of stubborn screws & spot-drilling on smooth surfaces
- Precision Stop electronic torque control

BS 18 LTX-3 BL Q I METAL

• 130 Nm maximum hard torque

Powerful, Quick Plus quick change chuck with re-tensioning function

No-load speeds 0 - 450 / 0 - 2000 / 0 - 4000 rpm

Anti kick-back function
Selectable "Impuls" mode for removal of

Precision Stop electronic torque control

Integrated LED work lightHandy belt hook and bit holder

stubborn screws & spot-drilling on smooth

65 Nm maximum soft torque
1 - 18 Nm adjustable torque

Chuck capacity 1.5 - 13 mm

18V Brushless Drill/Driver

3-Speed Quick 130Nm

Overload protection

603180850

• BRUSHLESS

surfaces

- Integrated LED work lightHandy belt hook and bit holder

18V Brushless Drill/Driver 2-Speed Quick 130Nm 602359850

BS 18 LTX BL Q I



BRUSHLESS

- 130 Nm maximum hard torque
- . 65 Nm maximum soft torque
- 1 20 Nm adjustable torque
- Chuck capacity 1.5 13 mm
- No-load speeds 0 550 / 0 2000 rpm
- Anti kick-back function
- Selectable "Impuls" mode for removal of stubborn screws & spot-drilling on smooth surfaces
- Precision Stop electronic torque control · Quick change chuck system
- Overload protection

\$459 Integrated LED work lightHandy belt hook and bit holder

Drill/Driver 2-Speed 130Nm

18V Brushless Tapping

602362850

GB 18 LTX BL Q I

BRUSHLESS

- Patented thread-tapping function
- with automatic change of rotation direction
- 130 Nm maximum hard torque
- 65 Nm maximum soft torque
- 1 20 Nm adjustable torque
- Quick change tapping chucks M4 M6, M8 M12
- No-load speeds 0 550 / 0 2000 rpm
- Anti kick-back function
 Selectable "Impuls" mode for removal of stubborn screws & spot-drilling on smooth surfaces
- Precision Stop electronic torque control
- Overload protection
- Integrated LED work lightHandy belt hook and bit holder

18V Brushless Hammer Drill 2-Speed 75Nm

602316890

surfaces

Overload protection

SB 18 LT BL



• BRUSHLESS

- 75 Nm maximum hard torque 34 Nm maximum soft torque
- 0.7 8 Nm adjustable torque
- Chuck capacity 1.5 13 mm
- No-load speeds 0 600 / 0 2100 rpm
- · Hammer drill function
- Maximum impact rate 31950 bpm Overload protection
- Integrated work light Handy belt hook and bit holder

18V Brushless Hammer Drill 2-Speed 130Nm 602360850

SB 18 LTX BL I

Overload protection



• BRUSHLESS

- 130 Nm maximum
- hard torque

- Maximum impact rate 38000 bpm
- · Anti kick-back function · Selectable "Impuls" mode for removal of stubborn screws & spot-drilling on smooth surfaces
- Precision Stop electronic torque control Overload protection
- Integrated LED work lightHandy belt hook and bit holder

18V Brushless Hammer Drill 2-Speed Quick 130Nm

602361850

SB 18 LTX BL Q I



- 130 Nm maximum hard torque
- 65 Nm maximum soft torque
- 1 20 Nm adjustable torque
- . Chuck capacity 1.5 13 mm
- No-load speeds 0 550 / 0 2000 rpm
- Anti kick-back functionSelectable "Impuls" mode for removal of stubborn screws & spot-drilling on smooth surfaces
- Precision Stop electronic torque control
- Quick change chuck system
- Overload protection
- Integrated LED work lightHandy belt hook and bit holder

Drills, Drivers & Hammers

18V Brushless Hammer Drill 3-Speed 130Nm

603183850

• BRUSHLESS

SB 18 LTX-3 BL I METAL



- Maximum impact rate 38000 bpm
- No-load speeds 0 450 / 0 2000 / 0 4000 rpm
- Anti kick-back function
- Selectable "Impuls" mode for removal of stubborn screws & spot-drilling on smooth surfaces
- Precision Stop electronic torque control
- Overload protection
- Integrated LED work light
- · Handy belt hook and bit holder

18V Brushless Drywall Screwdriver with Magazine AU62006300

TBS 18 LTX BL 5000 SF 57



- BRUSHLESS
- Drywall Screwdriver TBS 18 LTX BL 5000
- 1/4" hex. recess
- No load speed: 0 5000 rpm
- Max soft torque: 6 Nm
- Autostart function
- Selectable impulse function for precise embedding of protruding screws
- Adjustable depth stop & low-noise claw clutch Speed Fix 57 Collated Magazine
- metaBOX 145 L Case

Also available: Drywall Screwdriver skin in metaBOX (620063840)

18V Brushless Hammer Drill 3-Speed 130Nm Kit

AU60318300

SB 18 LTX-3 BL I METAL MB 5.5 K



- 18V 3-Speed Hammer Drill SR 18 LTX-3 BL LMETAL
- 2 x 5.5 Ah LiHD Battery Packs
- ASC 55 Air-Cooled Charger
- metaBOX 165 L case

REDEMPTION 1

18V Brushless Hammer Drill 3-Speed Quick Plus 130Nm 603182850

SB 18 LTX-3 BL Q I METAL



- Hammer drill function
- Maximum impact rate 38000 bpm
- No-load speeds 0 450 / 0 2000 / 0 4000 rpm
- Anti kick-back function
- Selectable "Impuls" mode for removal of stubborn screws & spot-drilling on smooth surfaces
- Precision Stop electronic torque control
- Overload protection

BRUSHLESS

- Integrated LED work lightHandy belt hook and bit holder

\$549

18V Brushless Rotary Hammer 24mm

601713850

KH 18 LTX BL 24



- BRUSHLESS
- 3 functions: hammer drilling, drilling & chiselling
- SDS-Plus
- No load speed: 0 1280 rpm
- Max. impact energy (EPTA) 2.2 J Max. impact rate 4750 bpm
- MVT anti-vibration handle
- · Constant speeds under load
- Electronic soft start for precise drilling
- Torque limiting safety clutch
- LED work light

\$429

18V Brushless Rotary Hammer 24mm Compatible Dust

601714850

KH 18 LTX BL 24 Q



631357850

Extraction Unit

- 3 functions: hammer drilling, drilling & chiselling
- Tool-free chuck change between SDS-plus & standard chuck
- No load speed: 0 1280 rpm
- Max. impact energy (EPTA) 2.2 J
- Max. impact rate 4750 bpm
- MVT anti-vibration handle
- Constant speeds under load
- Electronic soft start for precise drilling
- Torque limiting safety clutch
 LED work light

\$519

18V Brushless Rotary Hammer 28mm

601715850

KH 18 LTX BL 28 Q



Compatible Dust **Extraction Unit**



- BRUSHLESS 3 functions: hammer drilling, drilling & chiselling
- Tool-free chuck change between SDS-plus & standard chuck
- No load speed: 0 1000 rpm Max. impact energy (EPTA) 3 J
- Max. impact rate 4470 bpm
- MVT anti-vibration handle Constant speeds under load
- Electronic soft start for precise drilling
- Torque limiting safety clutch LED work light

18V Brushless Rotary Hammer 40mm

600752840

KHA 18 LTX BL 40



- BRUSHLESS
- 2 functions: hammer drilling & chiselling
- SDS-max chuck
- No load speed: 450 580 rpm
- Max. impact energy (EPTA) 8.6 J Max. impact rate 3200 bpm
- · MVT anti-vibration handle Constant speeds under load
- Electronic soft start for precise drilling · Torque limiting safety clutch
- LED work light

REDEMPTION 1

1957



Type 76108/10 impact drills are the first impact drills to be manufactured on a large scale for drilling into stone, masonry and concrete.

Dust Extraction

240V L-Class Wet & Dry Vac

602057190 ASR 35 L ACP



- · Certified for L-class dusts 99% filter efficiency
- 1400 W, 35 Litre wet & dry vacuum cleaner
- · Built-in power socket with automatic vacuum start/stop
- Automatic filter cleaning
- Anti-static basic equipment
- Air output max. 4380 L/min · Vacuum 270 hPa (mbar)

240V M-Class Wet & Dry Vac 35L

602058190 ASR 35 M ACP



- · Certified for M-class dusts - 99.9% filter efficiency
- 1400 W, 35 Litre wet & dry vacuum cleaner
- Built-in power socket with automatic vacuum start/stop
- Automatic filter cleaning
- Anti-static basic equipment
- Air output max. 4380 L/min Vacuum 270 hPa (mbar)

630235000

COCO SET

\$1099

240V H-Class Wet & Dry Vac 35L

602059190 ASR 35 H ACP



- · Certified for H-class dusts - 99.995% filter efficiency
- 1400 W, 35 Litre wet & dry vacuum cleaner
- Built-in power socket with automatic vacuum start/stop
- · Automatic filter cleaning
- Anti-static basic equipment Air output max. 4380 L/minVacuum 270 hPa (mbar)

\$1799

240V M-Class Wet & Dry Vac **50L**

602045190 ASR 50 M SC



- · Certified for M-class dusts - 99.9% filter efficiency
- 1400 W, 50 Litre wet & dry vacuum cleaner
- Built-in power socket for tools provides automatic vacuum start/stop
- Semi-automatic filter cleaning Anti-static basic equipment
- Air output max. 4380 L/min

Vacuum 270 hPa (mbar)



\$1229

18V CordlessControl Set



Scan for demo:



- Remote/Vibration activated power socket
- · Includes: · Receiver socket
- Transmitter
- 3 x multibands CR 2032 battery

\$199

36V (2x18V) Brushless M-Class Wet & Dry Vac 25L

602046850 ASR 36-18 BL 25 M SC



- BRUSHLESS
- Certified for M-class dusts - 99.9% filter efficiency
- 3-stage suction power
- controller Built-in CordlessControl function provides remote/vibration activated vacuum start/ stop for use with corded or **REDEMPTION 4**
- cordless power tools · Semi-automatic filter cleaning
- Anti-static basic equipment
- Air output max. 4000 L/min
 Vacuum 240 hPa (mbar)

1986



Metabo is officially established in Australia with the head office opening in Melbourne.

SDS Plus Drilling Dust Extraction Set

623770000 **ESA PLUS**



 Compatible with all new Metabo SDS-plus hammers in connection with all Metabo M- and H-Class vacuum cleaners

External dust extraction






SDS Max Drilling/Chiselling Dust Extraction Set

623271000 **ESA MAX**





- Tool-free installation drill bit and chisel can be removed without detaching the extraction system
- Compatible with all new Metabo SDSmax hammers in connection with all Metabo M- and H-Class vacuum cleaners
- External dust extraction

Dust Extraction

240V L-Class Wet & Dry Vac

602086190 ASA 30 L PC



- Certified for L-class dusts 99% filter efficiency
- Built-in power socket for tools provides automatic vacuum start/stop
- Manual filter cleaning
- · Connects to metaBOXes
- Air output max. 4200 I/min
- Vacuum 225 hPa (mbar)



\$499

240V M-Class Wet & Dry Vac

602087190

ASA 30 M PC



- Certified for M-class dusts - 99.9% filter efficiency
- Built-in power socket for tools provides automatic vacuum start/stop Manual filter cleaning
- Anti-static basic equipment
- · Connects to metaBOXes
- Air output max. 4200 l/min
- Vacuum 225 hPa (mbar)



240V H-Class Wet & Dry Vac 30L

602088190

ASA 30 H PC



- Certified for H-class dusts - 99.995% filter efficiency
- · Built-in power socket for tools provides automatic vacuum start/stop
 • Manual filter cleaning
- · Anti-static basic equipment
- · Connects to metaBOXes
- Air output max. 4200 I/min Vacuum 225 hPa (mbar)1200 W



36V (2x18V) L-Class Wet & Dry Vac 30L

602073850

AS 36-18 L 30 PC-CC



- Certified for L-class dusts - 99% filter efficiency
- Built-in CordlessControl function
- provides remote/vibration activated vacuum start/stop for use with corded or cordless power tools
- Anti-static basic equipment
- Connects to metaBOXes • Air output max. 3300 l/min
- Vacuum 140 hPa (mbar)
- 20 L version (602072850) also available





- · Certified for M-class dusts
- 99.9% filter efficiency
- Built-in CordlessControl function provides remote/vibration activated vacuum start/stop for use with corded or cordless power tools
- Manual filter cleaning
- · Anti-static basic equipment
- Connects to metaBOXes
- Air output max. 3300 l/min
 Vacuum 140 hPa



\$799

REDEMPTION 1

36V (2x18V) H-Class Wet & Dry Vac 30L

602075850

AS 36-18 H 30 PC-CC



- Certified for H-class dusts
- 99.995% filter efficiency
- Built-in CordlessControl function provides remote/vibration activated vacuum start/stop for use with corded or cordless power tools
- Manual filter cleaning
- Anti-static basic equipment
- Connects to metaBOXes
- Air output max. 3300 l/min
 Vacuum 140 hPa



36V (2x18V) L-Class Wet & **Dry Vac Kit 30L**

AU60207300

AS 36-18 L 30 PC-CC 5.5 DUO K



- 30 Litre L-class wet & dry vacuum cleaner with CordlessControl AS 36-18 L 30 PC-CC
- 2 x 5.5 Ah LiHD Battery Packs
- ASC 145 DUO Air-cooled Fast Charger 20 Litre L-class wet & dry vacuum cleaner kit also available (AU60207200)

REDEMPTION 1

36V (2x18V) M-Class Wet & Dry Vac Kit 30L

AU60207400

AS 36-18 M 30 PC-CC 10.0 DUO K



30 Litre M-class wet & dry vacuum cleaner with CordlessControl AS 36-18 M 30 PC-CC 2 x 10.0 Ah LiHD Battery Packs

• ASC 145 DUO Air-cooled Fast Charger Kit also available with 5.5 Ah batteries (AU60207410)

REDEMPTION 2

36V (2x18V) H-Class Wet & Dry Vac Kit 30L

AU60207500

AS 36-18 H 30 PC-CC 10.0 DUO K





30 Litre H-class wet & dry vacuum cleaner with CordlessControl AS 36-18 H 30 PC-CC

2 x 10.0 Ah LiHD Battery Packs

• ASC 145 DUO Air-cooled Fast Charger Kit also available with 5.5 Ah batteries (AU60207510)



Outdoor Power Equipment

18V Pruning Saw Kit

AU60085600

MS 18 LTX 15 1 HD 4.0 K



- 150 mm Pruning Saw MS 18 ITX 15
- Lightweight and compact
- · Safety switch and chain guard
- Tool-free quick chain change
- Chain speed (no load): 5 m/s
- 1 x 4.0 Ah LiHD Battery Pack

• ASC 55 Air-cooled Charger Skin also available (600856850) Telescopic extension handle (628714000) sold separately

1965



Metabo releases its first electric hedge trimmer, type 6390, with a cutting length of 400mm.

18V Brushless Hedge Trimmer 650mm

601723850

HS 18 LTX BL 65



- BRUSHLESS
- Cutting length 600 mm
- Max. cutting thickness 21 mm
- Laser-cut blade teeth, diamond-ground on both sides
- Safety switch, safety clutch, trigger guard & fast brake
- · 5-position rotating handle
- No load speed 3,400 rpm
- Integrated vibration dampening Other cutting lengths also available

500 mm (601722850) & 700 mm (601724850)

18V Backpack Sprayer 15L

602038850 **RSG 18 LTX 15**



- Suitable for pesticides, herbicides,
- fungicides, liquid fertilisers & water Steplessly adjustable operating pressure
- · Spray mist & jet nozzle adjustment
- Ergonomic tank shape & padded straps

 Integrated filter system Safety shutdown





- · Lightweight and compact
- 2-piece, quick couple shaft design for easy transport & storage
- Tool-free line change without removing or opening the spool · Bump feed, 300 mm cutting diameter
- Safety switch & stepless speed control
- Foldable protective guard Metal motor housing

36V (2 x 18V) Brushless **Brush Cutters 400mm** 601610850

FSD 36-18 LTX BL 40

601611850 FSB 36-18 LTX BL 40



- Twin line spool 400 mm cutting diameter
- Stepless speed control No-load speed 0 6000 rpm
- Fast-start, bump-feed & tool-free line change

36V (2 x 18V) Brushless



- Cutting Height: 20-70 mm (5 stages)
- · Mulch or collect in flexible catcher
- · Designed for mowing close to lawn edges Height-adjustable push bar with
- rubberised grip area
- Carry handles and double-folding bow handle with quick clamp

36V (2 x 18V) Brushless Lawn 18V Brushless Leaf Blower Mower 460mm



- Cutting Height: 25-80 mm (7 stages) Mulch or collect in flexible catcher
- Metal deck & high-quality mower blade Automatic power adjustment dependent
- on grass height • Easy transport & space-saving storage Double protection from unintentional startup with safety key & switch

601607850

LB 18 LTX BL



- BRUSHLESS
- 650 m³/h air volume & 150 km/h air velocity
- Steplessly adjustable air velocity
- No load speed 0 20300 rpm Lockable speed control trigger
- Rubberised grip area
- · Environmentally-friendly and quiet Space-saving storage
 Padded shoulder strap

Outdoor Power Equipment



Multi-Powerhead Attachments 36V (2 x 18V) Brushless 601727850 601728850

MA-MS 25 240 mm cutting length

MA-FS 40 400 mm cutting length

MA-HS 50 601613850 480 mm cutting length

601726850 Chainsaw

MS 36-18 LTX BL 40



BRUSHLESS

- 360 mm cutting length
- 400 mm track length
- Up to 22 m/s chain speed
 Low profile / semi-chisel saw teeth for optimum cordless performance
- Stepless speed control
- Comfortable rubberised handle, compact design and low weight compared to petrol-powered chainsaws



36V (2 x 18V) Brushless Chainsaw Kit AU60161300

MS 36-18 LTX BL 40 5.5 DUO K





• BRUSHLESS

- 400 mm Chainsaw MS 36-18 LTX BL 40
- 2 x 5.5 Ah LiHD Battery Packs
 ASC 145 DUO Air-cooled Fast Charger

REDEMPTION 1





Premium Kits

18V 4.0Ah LiHD Battery Twin Pack

AU32102400 4.0 LiHD TP

HD

18V 5.5Ah LiHD **Battery Twin Pack**

AU32102550 5.5 LiHD TP

HD

18V 8.0Ah LiHD Battery Twin Pack

AU32102800 8.0 LiHD TP

18V 10.0Ah LiHD **Battery Twin Pack** AU32102100

HD

HD

10.0 LiHD TP



2 x 5.5 Ah LiHD

• 2 x 8.0 Ah LiHD Battery Packs

2 x 10.0 Ah LiHD

• 2 x 4.0 Ah LiHD **Battery Packs**

18V Brushless Hammer Drill/ Impact Driver Kit

AU68200955

MET18BL2MB2HD5.5AF



130 Nm Hammer Drill SB 18 LTX BL I

200 Nm 1/4" Impact Driver SSD 18 LTX 200 BL
2 x 5.5 Ah LiHD Battery Packs

 ASC 55 Air-Cooled Charger metaBOX Case

Kit also available in with 2 x 4.0 Ah (AU68201640) or 2 x 8.0 Ah (AU68203080)

18V Brushless Hammer Drill/ Impact Wrench Kit

AU68201055

MET18BL2MB2HD5.5AH



- 130 Nm Hammer Drill SB 18 LTX BL I
- 400 Nm Impact Wrench SSW 18 LTX 400 BL
 2 x 5.5 Ah LiHD Battery Packs
- ASC 55 Air-Cooled Charger

metaBOX Case
 Kit also available in with 2 x 4.0 Ah (AU68201840) or 2 x 8.0 Ah (AU68203280)

REDEMPTION 1

18V Brushless Hammer Drill/ Grinder Kit

AU68204550 MET18BL2MB2HD5.5FJ AU68204650[†] MET18BL2MB2HD5.5FK



- 130 Nm Hammer Drill SB 18 LTX BL I
- 125 mm Angle Grinder WB 18 LT BL 11-125 Quick
- 2 x 5.5 Ah LiHD Battery Packs
- 2 x metaBOX Cases Kit also available in with 2 x 4 0 Ah (AU68204340) or 2 x 8 0 Ah (AU68204780)

ASC 55 Air-Cooled Charger

REDEMPTION 1

Paddle Switch

(not pictured)

18V Brushless 2-Piece Kit AU68205850



- 125 mm Angle Grinder WPBA 18 LTX BL 15-125 Quick
- 130 Nm, 3-Speed Hammer Drill/Driver SB 18 LTX-3 BL I METAL
- 2 x 300 mm DS Safety Connections
- DS Safety Bracket (for Drill/Driver)
 5 kg Quick Connect Safety Lanyard
- 2 x 5.5 Ah LiHD DS Battery Packs
- Air-Cooled Charger ASC 55
 metaBOX 165 L + 145 L cases



REDEMPTION 3

Paddle switch options with 2 x 4.0 Ah (AU68204440) or 2 x 8.0 Ah (AU68204880)

Premium Kits



- Impact drill SB 18 ITX BLI
- Impact Screwdriver SSD 18 LT 200 BL
- Circular Saw KS 18 LTX 57 BL
- Reciprocating Saw SSEP 18 LT BL
 2 x 5.5 Ah LiHD DS Battery Packs
- Air-Cooled Charger ASC 55
- · Large Heavy-duty Tool Bag

REDEMPTION 2

Hammer Drill 3-Speed Quick Plus SB 18 LTX-3 BL Q I Metal

18V Brushless 3-Piece Kit

• 200 Nm 1/4" Impact Driver SSD 18 LTX 200 BL

metabo

- 125 mm Angle Grinder WB 18 LTX BL 15-125 Quick
 3 x 5.5 Ah LiHD DS Battery Packs
- Air-Cooled Charger ASC 55

AU68308400

NEW

MET18BL3MB3HD5.5HV

metaBOX 165 L with deep drawn inlay

REDEMPTION 3

18V 10-Piece Mega Kit with Bonus Sander

AU69000250

MET18MX10LB3HD455GV

- 130 Nm Brushless Hammer Drill SB 18 LTX BL I
- 16 mm Brushless Rotary Hammer Drill BH 18 LTX BL 16
- 200 Nm Brushless Impact Driver SSD 18 LT 200 BL
 300 Nm Brushless Impact Wrench SSW 18 LT 300 BL
- 125 mm Brushless Angle Grinder WB 18 LT BL 11-125 QUICK
- 165 mm Brushless Circular Saw KS 18 LTX 66 BL
 Compact Brushless Reciprocating Saw SSE 18 LTX BL COMPACT
- AM/FM Worksite Radio with Bluetooth & DAB+ R 12-18 DAB+ BT
- Blower AG 18280 Im LED Lamp ULA 14.4-18 LED
- 1 x 4.0 Ah LiHD Battery Pack
- · 2 x 5.5 Ah LiHD Battery Packs ASC 55 Air-cooled Charger
- 2 x Large Tool Bags

BONUS



18V Brushless Random Orbital Sander 125 mm

SXA 18 LTX 125 BL



18V 15-Piece Mega Kit

AU69000230

MET18MX15LB4HD455GU

- 130 Nm Brushless Hammer Drill SB 18 LTX BL I
- 16 mm **Brushless** Rotary Hammer Drill BH 18 LTX BL 16 200 Nm **Brushless** Impact Driver SSD 18 LTX 200 BL
- 400 Nm Brushless Impact Wrench SSW 18 LTX 400 BL
- 125 mm Brushless Angle Grinder WB 18 LT BL 11-125 QUICK
- 76 mm Brushless Compact Angle Grinder CC 18 LTX BL • Brushless Reciprocating Saw SSE 18 LTX BL
- Brushless Compact Reciprocating Saw SSE 18 LTX BL COMPACT
 165 mm Brushless Circular Saw KS 18 LTX 66 BL
- Brushless Starlock Plus Multi-Tool MT 18 LTX BL QSL
- 125 mm Brushless Random Orbital Sander SXA 18 LTX 125 BL
- Hot Air Gun HG 18 LTX 500
- Compact Vacuum Cleaner AS 18 L PC Compact
- 280 lm LED Lamp ULA 14.4-18 LED AM/FM Worksite Bluetooth Radio R 12-18 DAB+ BT
- 2 x 4.0 Ah LiHD Battery Packs 2 x 5.5 Ah LiHD Battery Packs
- 2 x ASC 145 DUO Air-cooled Fast Charger • 3 x Large Tool Bags



metabo 10CYEARS





Site Lighting

18V Tripod Site Light 5000lm

601507850


BSA 18 LED 5000 DUO-S



- 2500-5000 lumen
- Twin rotating and swiveling site lights
- integrated with 2m collapsible tripod

 Two light levels for optimal light with maximum battery pack run time
- Battery pack runtime:
 25 min per Ah at maximum luminosity
- Fast set-up and pack-up in seconds
- Compact, lightweight, with convenient
- carry-handle for easy transport

18V Site Light 2000lm 601504850





- 2000 lumen
- · Compact design
- 18 V battery pack runtime: 75 min per Ah at maximum luminosity
- 360° rotating head
- Swivelling hook, integrated magnets and rubberised base
- Stepless dimming function
- Remaining battery runtime display with flash warning
- 5/8" thread for tripod use
- Dust & splash-proof (IP 54)

\$199

18V Site Light 4000lm

601505850

BSA 18 LED 4000



- 4000 lumen
- · Compact design
- Battery pack runtime: 35 min per Ah at maximum luminosity
- 270° rotating head
- Integrated magnets and rubberised base
 Stepless dimming function
- Remaining battery runtime display
- with flash warning • 5/8" thread for tripod use
- Dust & splash-proof (IP 54)
 USB-A charging port (1 A)

18V Site Light 10000lm


601506190



- 10,000 lumen
- Compact design
- Battery or mains operation
- Battery pack runtime: 15 min per Ah at maximum luminosity
- Rubberised base
- Remaining battery runtime display with flash warning
 • Stepless dimming function
- Dust & splash-proof (IP 54)
- 5/8" thread for tripod useUSB-A charging port (1A)

Site Light Tripod 623723000

BSA TRIPOD



- Includes double bracket for fixing 2 lights
- · Non-slip rubber feet
- Working height: 1.10 1.80 m
- Connecting thread: M8
- Weight: 5kg Non-slip rubber feet

\$169

One battery, many solutions. Cross-brand. 100% Compatibility.



(SCANGRIP' RICO PROMOTECH'



















IFDSON POWER








about CAS





Cordless Range

www.cordless-alliance-system.com





Ultra-M Technology Perfect interaction between tool, battery pack and charger.



100% Compatibility with all Metabo 18 V cordless machines, yesterday, today and in the future.

One Battery for Everything! Run all your cordless power tools on 18 V battery packs.

METABO RESERVES THE RIGHT TO CORRECT ANY PRINTED ERRORS (E&OE). PRODUCTS MAY VARY DUE TO TECHNICAL CHANGES & AVAILABILITY. OFFERS AVAILABLE ONLY WHILE STOCKS LAST.

AU982360